Revision Date: 10/17/2019

SAFETY DATA SHEET

1. Identification

Product identifier: GRIPPET BELT DRESSING

Other means of identification

SDS number: RE1000005922

Recommended restrictions

Product use: Coating

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: Mirandy Products LLC Address: 1078 GRAND AVE.

S. HEMPSTEAD, NY 11550

516-489-6800

Telephone:

Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2A
Germ Cell Mutagenicity Category 2
Carcinogenicity Category 1A

Environmental Hazards

Acute hazards to the aquatic Category 3

environment

Chronic hazards to the aquatic Category 3

environment

Label Elements

Hazard Symbol:



Signal Word: Danger

Revision Date: 10/17/2019

Hazard Statement: Extremely flammable aerosol.

Causes skin irritation.

Causes serious eye irritation.

Suspected of causing genetic defects.

May cause cancer.

Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective

equipment as required. Avoid release to the environment.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this

label). Take off contaminated clothing.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|-------------------------------------|------------|-------------------------|
| Ethene, 1,1,2-trichloro- | 79-01-6 | 25 - <50% |
| Butane | 106-97-8 | 20 - <50% |
| Butene, homopolymer | 9003-29-6 | 10 - <20% |
| Propane | 74-98-6 | 10 - <20% |
| Naphtha (petroleum), light alkylate | 64741-66-8 | 5 - <10% |

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Inhalation: Move to fresh air.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash contaminated clothing

before reuse. Get medical attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Revision Date: 10/17/2019

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Revision Date: 10/17/2019

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin.

Conditions for safe storage, including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 2

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| a | | | | |
|----------------------------|--------------|--------------|-------------|--|
| Chemical Identity | Туре | Exposure Lin | nit Values | Source |
| Ethene, 1,1,2-trichloro- | TWA | 10 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | STEL | 200 ppm | 1,080 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 25 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | TWA | 100 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | MAX. CONC | 300 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | TWA | 50 ppm | 270 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | Ceiling | 200 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006) |
| | REL | 25 ppm | | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | Ceil_Time | 2 ppm | | US. NIOSH: Pocket Guide to Chemical Hazards (2016) |
| Butane | REL | 800 ppm | 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | STEL | 1,000 ppm | | US. ACGIH Threshold Limit Values (03 2018) |
| | TWA | 800 ppm | 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Propane | REL | 1,000 ppm | 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Oxirane, 2-(chloromethyl)- | TWA | 2 ppm | 8 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | PEL | 5 ppm | 19 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 0.5 ppm | | US. ACGIH Threshold Limit Values (2008) |

Biological Limit Values

| Chemical Identity | Exposure Limit Values | Source |
|---|-----------------------|---------------------|
| Ethene, 1,1,2-trichloro- (Trichloroacetic acid: Sampling time: End of | 15 mg/l (Urine) | ACGIH BEL (03 2013) |
| shift at end of work week.) | | |
| Ethene, 1,1,2-trichloro- (Trichloroethanol, without hydrolysis: | 0.5 mg/l (Blood) | ACGIH BEL (03 2013) |
| Sampling time: End of shift at end of work week.) | | , , , , , |

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

Revision Date: 10/17/2019

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels

to an acceptable level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear suitable protective clothing. Wear chemical-resistant gloves, footwear,

and protective clothing appropriate for the risk of exposure. Contact health

and safety professional or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Avoid contact with eyes. When using do not smoke. Wash contaminated clothing before reuse. Avoid

contact with skin.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor threshold: No data available.
PH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

Evaporation rate:No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

Vapor pressure: 2,757.9029 - 4,136.8543 hPa (20 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

No data available.

No data available.

No data available.

Auto-ignition temperature: No data available.

Revision Date: 10/17/2019

Decomposition temperature: No data available. **Viscosity:** No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Ethene, 1,1,2-trichloro-LD Lo (Rat): 5,620 mg/kg

LD 50: > 5,000 mg/kg

Butene, homopolymer Naphtha (petroleum),

LD 50 (Rat): > 10,000 mg/kg LD 50 (Rat): > 5,000 mg/kg

light alkylate

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Ethene, 1,1,2-trichloro-LD 50: > 2,000 mg/kg

Revision Date: 10/17/2019

Butene, homopolymer LD 50 (Rat): > 2,000 mg/kg

Naphtha (petroleum),

light alkylate

LD 50 (Rabbit): > 6,000 mg/kg

Inhalation

Product: ATEmix: 76.44 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Ethene, 1,1,2-trichloro- NOAEL (Rat(Male), Inhalation): 100 ppm(m) Inhalation Experimental result,

Key study

NOAEL (Rat(Male), Oral, 52 Weeks): 50 mg/kg Oral Experimental result,

Key study

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

Butene, homopolymer NOAEL (Rat(Female, Male), Inhalation): 1,000 mg/m3 Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Oral, 13 Weeks): 1,000 mg/kg Oral

Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Naphtha (petroleum),

light alkylate

NOAEL (Mouse, Rat(Female, Male), Inhalation, 107 - 113 Weeks): 1,402

mg/m3 Inhalation Experimental result, Key study

NOAEL (Rat(Female, Male), Dermal, 5 - 28 d): 3,750 mg/kg Dermal

Experimental result, Key study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Butene, homopolymer in vivo (Rabbit): Not irritant Experimental result, Key study

Naphtha (petroleum),

light alkylate

In vitro (Human): not corrosive Experimental result, Supporting study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Butene, homopolymer Rabbit, 24 - 72 hrs: Not irritating

Naphtha (petroleum),

light alkylate

Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Butene, homopolymer Naphtha (petroleum),

Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising

light alkylate

Carcinogenicity

Product: No data available.

Specified substance(s):

Ethene, 1,1,2-trichloro- Potential cancer hazard.

Revision Date: 10/17/2019

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Ethene, 1,1,2-trichloro- Overall evaluation: 1. Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Ethene, 1,1,2-trichloro- Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s):

Naphtha (petroleum),

light alkylate

May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Ethene, 1,1,2-trichloro- LC 50 (Pimephales promelas, 96 h): 44.1 mg/l Experimental result,

Supporting study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Butene, homopolymer LC 50 (Leuciscus idus, 96 h): > 10,000 mg/l Experimental result, Supporting

study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Naphtha (petroleum),

light alkylate

LL 50 (Oncorhynchus mykiss, 96 h): 10 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Revision Date: 10/17/2019

Specified substance(s):

Ethene, 1,1,2-trichloro- IC 50 (Daphnia magna, 48 h): 20.8 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Butene, homopolymer EC 50 (Daphnia magna, 48 h): > 100 mg/l Experimental result, Key study

Naphtha (petroleum),

light alkylate

EC 50 (Daphnia magna, 48 h): 4.5 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.5 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: NOEC : Estimated < 1 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Naphtha (petroleum),

light alkylate

NOAEL (Daphnia magna): 2.6 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: 60 % (28 d) Readily biodegradable

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Ethene, 1,1,2-trichloro- Lepomis macrochirus, Bioconcentration Factor (BCF): 17 Aquatic sediment

Experimental result, Key study

Butene, homopolymer Bioconcentration Factor (BCF): 314 - 1,882 Aquatic sediment QSAR, Key

study

Naphtha (petroleum),

light alkylate

Bioconcentration Factor (BCF): 10 - 2,500 Aquatic sediment Estimated by

calculation, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Butene, homopolymer Log Kow: 7.6 - 7.8 20 °C No Experimental result, Key study

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Ethene, 1,1,2-trichloroButane

Butene, homopolymer

Propane

No data available.

No data available.

No data available.

No data available.

Revision Date: 10/17/2019

Naphtha (petroleum), light

alkylate

No data available.

Other adverse effects: Harmful to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, Flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): —
Packing Group: II
Marine Pollutant: No
Environmental Hazards: No
Marine Pollutant No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, Flammable

Transport Hazard Class(es)

Class: 2 Label(s): – EmS No.:

Packing Group: -

Environmental Hazards: Yes Marine Pollutant No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, Flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: Environmental Hazards: Yes
Marine Pollutant No

Special precautions for user: Not regulated. Cargo aircraft only: Allowed.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Revision Date: 10/17/2019

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

| Chemical Identity | Reportable quantity |
|--------------------------|---------------------|
| Ethene, 1,1,2-trichloro- | lbs. 100 |
| Butane | lbs. 100 |
| Propane | lbs. 100 |
| Oxirane, 2- | lbs. 100 |
| (chloromethyl)- | |

(chloromethyl)-

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

Flammable aerosol Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Germ Cell Mutagenicity

Carcinogenicity

SARA 302 Extremely Hazardous Substance

| Reg | orta | ble |
|-----|------|-----|
|-----|------|-----|

| Chemical Identity | <u>quantity</u> | Threshold Planning Quantity |
|-------------------|-----------------|-----------------------------|
| Oxirane, 2- | lbs. 100 | lbs. 1000 |
| (chloromethyl)- | | |

SARA 304 Emergency Release Notification

| Chemical Identity | | Reportable quantity |
|--------------------------|----|---------------------|
| Ethene, 1,1,2-trichloro- | | lbs. 100 |
| Butane | | lbs. 100 |
| Propane | | lbs. 100 |
| Oxirane, | 2- | lbs. 100 |
| (chloromethyl)- | | |

SARA 311/312 Hazardous Chemical

| Chemical Identity | Threshold Planning Quantity |
|----------------------------|-----------------------------|
| Oxirane, 2-(chloromethyl)- | lbs |
| Ethene, 1,1,2-trichloro- | 10000 lbs |
| Butane | 10000 lbs |
| Butene, homopolymer | 10000 lbs |
| Propane | 10000 lbs |
| Naphtha (petroleum), light | 10000 lbs |
| alkylate | |

SARA 313 (TRI Reporting)

| | Reporting | Reporting threshold for |
|--------------------------|---------------|-------------------------|
| | threshold for | manufacturing and |
| Chemical Identity | other users | processing |
| Ethene, 1,1,2-trichloro- | lbs | lbs. |

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethene, 1,1,2-trichloro- Carcinogenic. 05 2011

Ethene, 1,1,2-trichloro- Male reproductive toxin. 04 2014

Revision Date: 10/17/2019

Ethene, 1,1,2-trichloro- Developmental toxin. 04 2014

Oxirane, 2-(chloromethyl)- Carcinogenic. 05 2011

Oxirane, 2-(chloromethyl)- Male reproductive toxin. 03 2008

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Ethene, 1,1,2-trichloro-

Butane

Propane

US. Massachusetts RTK - Substance List

Chemical Identity

Ethene, 1,1,2-trichloro-Oxirane, 2-(chloromethyl)-

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Ethene, 1,1,2-trichloro-

Butane

Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

Revision Date: 10/17/2019

Inventory Status:

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List:

On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: Not in compliance with the inventory.

China Inv. Existing Chemical Substances: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Canada NDSL Inventory: Not in compliance with the inventory.

Philippines PICCS: On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ: Not in compliance with the inventory.

Ontario Inventory: On or in compliance with the inventory

Taiwan Chemical Substance Inventory: On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date: 10/15/2019

Revision Information: No data available.

Version #: 1.1

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.